

LAWS OF UX

LAWS OF UX

Aesthetic Usability Effect

Users often perceive aesthetically pleasing design as design that's more usable.

Doherty Threshold

Productivity soars when a computer
and its users interact at a pace
(400ms) that ensures that neither has
to wait on the other.

Fitt's Law

The time to acquire a target is a function of the distance to and size of the target. Make elements you wish to be easily selectable large and position them close to users.

Hick's Law

The time it takes to make a decision increases with the number and complexity of choices. Simplify choices for the user by breaking down complex tasks into smaller steps.

Jakob's Law

Users spend most of their time on other sites. This means that users prefer your site to work the same way as all the other sites they already know.

Law of Common Region

Elements tend to be perceived into groups if they are sharing an area with a clearly defined boundary.

Law of Prägnanz

People will perceive and interpret ambiguous or complex images as the simplest form possible, because it is the interpretation that requires the least cognitive effort of us.

Law of Proximity

Objects that are near, or proximate to each other, tend to be grouped together.

Law of Similarity

The human eye tends to perceive similar elements in a design as a complete picture, shape, or group, even if those elements are separated.

Law of Uniform Connectedness

Elements that are visually connected are perceived as more related than elements with no connection.

Miller's Law

The average person can only keep 7
(plus or minus 2) items in their working
memory.

Occam's Razor

Analyze each element and remove
as many as possible, without
compromising the overall function.

Pareto Principle

Focus the majority of effort on the areas that will bring the largest benefits to the most users.

Parkinson's Law

Any task will inflate until all of the available time is spent.

Peak-End Rule

People judge an experience largely based on how they felt at its peak and at its end, rather than the total sum or average of every moment of the experience.

Postel's Law

Be liberal in what you accept, and
conservative in what you send.

Serial Position Effect

Users have a propensity to best remember the first and last items in a series.

Tester's Law

Tesler's Law, also known as The Law of Conservation of Complexity, states that for any system there is a certain amount of complexity which cannot be reduced.

Von Restorff Effect

The Von Restorff effect, also known as The Isolation Effect, predicts that when multiple similar objects are present, the one that differs from the rest is most likely to be remembered.

Zeigarnik Effect

People remember uncompleted or interrupted tasks better than completed tasks.

USABILITY HEURISTICS FOR USER INTERFACE DESIGN

**JAKOB NIELSEN'S 10 GENERAL PRINCIPLES
FOR INTERACTION DESIGN. THEY ARE
CALLED "HEURISTICS" BECAUSE THEY ARE
BROAD RULES OF THUMB AND NOT SPECIFIC
USABILITY GUIDELINES.**

Visibility of System Status

The system should always keep users informed about what is going on, through appropriate feedback within reasonable time.

**Match Between
System and the
Real World**

The system should speak the users' language, with words, phrases and concepts familiar to the user, rather than system-oriented terms. Follow real-world conventions, making information appear in a natural and logical order.

User Control and Freedom

Users often choose system functions by mistake and will need a clearly marked “emergency exit” to leave the unwanted state without having to go through an extended dialogue.
Support undo and redo.

Consistency and Standards

Users should not have to wonder whether different words, situations, or actions mean the same thing. Follow platform conventions.

Error Prevention

Even better than good error messages is a careful design which prevents a problem from occurring in the first place. Either eliminate error-prone conditions or check for them and present users with a confirmation option before they commit to the action.

Recognition Rather
than Recall

Minimize the user's memory load by making objects, actions, and options visible. The user should not have to remember information from one part of the dialogue to another. Instructions for use of the system should be visible or easily retrievable whenever appropriate.

Flexibility and Efficiency of Use

Accelerators — unseen by the novice user — may often speed up the interaction for the expert user such that the system can cater to both inexperienced and experienced users. Allow users to tailor frequent actions.

Aesthetic and Minimalist Design

Dialogues should not contain information which is irrelevant or rarely needed. Every extra unit of information in a dialogue competes with the relevant units of information and diminishes their relative visibility.

**Help Users
Recognize, Diagnose,
and Recover from
Errors**

Error messages should be expressed
in plain language (no codes),
precisely indicate the problem, and
constructively suggest a solution.

Help & Documentation

Even though it is better if the system can be used without documentation, it may be necessary to provide help and documentation. Any such information should be easy to search, focused on the user's task, list concrete steps to be carried out, and not be too large.